	Application No.	Applicant(s)
Notice of Allowability	10/563,546	MOULE, TERRY GLYN
	Examiner	Art Unit
	Rodney B. White	3636
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the RCE and Amendment filed 03/31/2008 and the Intereview on 07/08/2008.		
2. The allowed claim(s) is/are <u>1, 4, 6-18, 20-21, 23, and 25, renumbered 1-19</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). 		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pa 6. ☑ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn 8. ☐ Examiner's Stateme 9. ☐ Other	(PTO-413), e
	/Rodney B. White/ Primary Examiner, Art Unit	3636

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas E. Thompkins, Jr. (#47,136) on July 2-3 and July, 7-8, 2008.

The application has been amended as follows:

In the Claims:

1. (Currently amended) A seat portion for a seat, which seat portion comprises at least a first part which is made of a first plastics foam material of a first hardness, and a second part which is made of a second plastics foam material of a second and lesser hardness: and in which the second part is in the form of an insert which fits into a complementarily shaped recess in the first part and does not extend into a backrest portion for the seat; the recess extends from an upper surface of the first part towards an opposite surface; the recess does not extend through said opposite surface; the recess having upwardly facing inclined edges; the insert substantially fills

Application/Control Number: 10/563,546 Page 3

Art Unit: 3636

the recess; and the Insert comprises a pair of pads which are positioned so as to be underneath the cheeks of the posterior of a person sitting on the seat portion, and a pair of legs which are positioned so as to be underneath the thighs of the person sitting on the insert; the insert is a one piece insert; the recess extends into the first part from an upper surface of the first part the pads and legs having complementary downwardly facing inclined edges that engage with the upwardly facing inclined edges of the recess; and the insert has an upper surface which is flush with the upper surface of the first part.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney B. White whose telephone number is (571) 272-6863. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Dunn can be reached on (571) 272-6670. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/563,546 Page 4

Art Unit: 3636

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Rodney B. White/ Primary Examiner Art Unit 3636 July 9, 2008